

Entity Description: This entity represents the table containing the detailed data for health center service

delivery sites, as extracted from the source data system. It includes the expansion of the various dimension tables to include record identification number, code, and

corresponding meanings for all dimension items.

Congressional District Name

Definition: This attribute represents the name of the U.S. Congressional District.

Valid Values: Expected values are text strings for Congressional District names. For

example, Alabama District 03. Can be NULL.

HDW Transformation: (1) For states with two or more representatives in the U.S. House of

Representatives, the Congressional District Name is created by concatenating the state name, the word "District", and the applicable Congressional District number. (2) For states with a single representative in the U.S. House of Representatives, the Congressional District Name is created by concatenating the state name and the words "At Large". (3) For the District of Columbia where there is special representation in the U.S. House of Representatives, the Congressional District Name is "District of Columbia Delegate". (4) For the U.S. territories where there is special representation in the U.S. House of Representatives, the Congressional District Name is created by concatenating the territory name and either the words "Delegate" or "Resident Commissioner" as appropriate. (5) For the

territories where there is no representation in the U.S. House of Representatives the Congressional District Name is only the text "(No Congressional Representation)". (6) This attribute is a common element which may be used in multiple data marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data mart refresh is a

snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: U.S. House of Representatives

Update Frequency: As Required

Column Name: CONG_DIST_NM

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: Congressional District Name; Congressional District



Grant Number

Definition: This attribute represents the 10 character concatenation of the activity code,

organization code, and serial number that HRSA uses in the HRSA

Electronic Handbooks (EHB) to identify grants.

Valid Values: Expected values are alphanumeric text strings 10 characters in length. For

example, H89HA11478; H1CCS00016; or H80CS00001. Can be NULL.

HDW Transformation: (1) The Grant Number identified in the HRSA Data Warehouse (HDW)

represents the HRSA Electronic Handbooks (EHB) data as it existed at the time of the most recent data refresh (2) For a specific HDW Award Fact table records, the activity code, organization code, and serial number components comprising the Grant Number do not have to match the individual attributes

associated with that fact record.

Data Restriction: Public

Business Rule / Format: The values for activity code, organization code, and serial number which are

used to construct the grant number could change during the life cycle of the grant. Therefore, the grant number describes current state of the attributes activity code, organization code, and serial number for the grant associated

with a the Grant GUID, the permanent grant identification key.

Organization: HRSA Electronic Handbooks (EHB)

Update Frequency: Daily

Column Name: GRANT_NUM

Synonym Columns: None.

HDW Data Type: varchar(20)

User Friendly Names: Grant Number

Update Date (Metadata): 06/08/2015



State FIPS Code

Definition: This attribute represents the State Federal Information Processing Standard

(FIPS) code identifying the two numeric character string assigned by the National Institute of Standards and Technology (NIST) to states, the District

of Columbia, and U.S. territories.

Valid Values: Expected values are two character numeric text strings representing the

state or territory. The valid values are: XX; 01; 02; 04; 05; 06; 08; 09; 10; 11; 12; 13; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 44; 45; 46; 47; 48; 49; 50; 51; 53; 54;

55; 56; 60; 64; 66; 68; 69; 72; 70; 74; and 78. Cannot be NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: National Institute of Standards and Technology (NIST)

Update Frequency: As Required

Column Name: STATE_FIPS_CD

Synonym Columns: STATE_FIPS_CD; StFips

HDW Data Type: char(2)

User Friendly Names: State FIPS Code; State Federal Information Processing Standard Code;

State FIPS



State Name

Definition: This attribute represents the state or territory name.

Valid Values: Expected values are alphabetic text strings representing the name of the

state or territory. The valid values are: Foreign Country; Not Available; Alabama; Alaska; American Samoa; Arizona; Arkansas; California; Colorado; Connecticut; Delaware; District of Columbia; Federated States of Micronesia; Florida; Georgia; Guam; Hawaii; Idaho; Illinois; Indiana; Iowa; Kansas; Kentucky; Louisiana; Maine; Marshall Islands; Maryland; Massachusetts; Michigan; Minnesota; Mississippi; Missouri; Montana; Nebraska; Nevada; New Hampshire; New Jersey; New Mexico; New York; North Carolina; North Dakota; Northern Mariana Islands; Ohio; Oklahoma; Oregon; Pennsylvania; Puerto Rico; Republic of Palau; Rhode Island; South Carolina; South Dakota; Tennessee; Texas; U.S. Minor Islands; U.S. Virgin Islands; Utah; Vermont; Virginia; Washington; West Virginia; Wisconsin; and Wyoming.

Can be NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: National Institute of Standards and Technology (NIST)

Update Frequency: As Required
Column Name: STATE_NM

Synonym Columns: STATE_NM; StNM

HDW Data Type: varchar(50)

User Friendly Names: State Name; Component State; Site State; State; State Label

Update Date (Metadata): 04/21/2017

Data as of: 06/16/2017



U.S. Congressional Representative Name

Definition: This attribute represents the name of the Congressional Representative for

the Congressional District associated with the entity.

Valid Values: Expected values are text strings containing the name of the person and the

format is First Name Middle Name Last Name, Suffix. For example, John Jacob Jingleheimer-Schmidt, III; Jane Q. Public; Mariel Hamm; or George

Edward Pope. Can be NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format:

Organization: U.S. House of Representatives

None.

Update Frequency: Monthly

Column Name: REPRESENTATIVE_NM

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: U.S. Congressional Representative Name; Congressional District

Representative Name; Congressional Representative; Congressional

Representative Name; Representative Name



Name of U.S. Senator Number Two

Definition: This attribute represents the name of one of the two United States Senators

for the state associated with the entity.

Valid Values: Expected values are text strings containing the name of the person and the

format is First Name Middle Name Last Name, Suffix. For example, John Jacob Jingleheimer-Schmidt, III; Jane Q. Public; Mariel Hamm; or George Edward Pope. The District of Columbia and the U.S. territories and possessions do not have members in the U.S. Senate. Can be NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data mart refresh is a snapshot in time. The District of Columbia and the U.S. territories and possessions do not have members

in the U.S. Senate.

Data Restriction:PublicBusiness Rule / Format:None.

Organization: U.S. Senate

Update Frequency: Monthly

Column Name: US_SENATE_NM2

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: Name of U.S. Senator Number Two; Name of U.S. Senator; Senator Name

(2 of 2); Senator Name (2); Senator Name(2); U.S. Senate Name (2); U.S.

Senator; U.S. Senator Name (2)



Data Warehouse Record Create Date

Definition: This attribute represents the date on which the data was processed by the

HRSA Data Warehouse.

Valid Values: Expected values are date time where the time is the midnight or the zero

hour. For example, 2013-10-15 00:00:00.000. Cannot be NULL.

HDW Transformation: (1) System date on which the data set was refreshed. (2) This attribute is a

common element which may be used in multiple data marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data

mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: DW_RECORD_CREATE_DT

Synonym Columns: DW_RECORD_CREATE_DT; DwRecCrtDT

HDW Data Type: datetime

User Friendly Names: Data Warehouse Record Create Date; SNAP; Snapshot; Snapshot Date

Update Date (Metadata): 06/16/2017



UDS Number

Definition: This attribute represents the unique identification number (ID) for a health

center service delivery site contained in the HRSA Uniform Data System

(UDS).

Valid Values: Expected values are six or seven character alphanumeric text strings. For

example, 01998A; 01998A; 01458BB; 03702AT; 04577AN; 041309AB;

078170; 08830I; 09E00004; or 10788CD. Can be NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: (1) The HRSA Uniform Data System (UDS) Number is used for site

identification and reporting purposes. (2) The Base component of the UDS Number is all numerals to the left of the final digit, where the UDS number is composed entirely of digits, or all numerals to the left of the first letter if the UDS number ends in one or more letters. (3) All sites which share a common Base UDS Number are organizationally-related. (4) If the UDS Number for a given site ends in the digit zero, the site is considered to be a Parent site. This is the site at which the HRSA grant is administered, and/or where National Health Service Corps (NHSC) providers are managed. (5) Any sites with the same Base UDS Number, other than the Parent site, are considered to be Satellites (Children) of the Parent. (6) The Base UDS Number must be the same length. (7) Where a network of sites includes more than 36 entities, multiple letters are used as the suffix. (The initial series of identifiers would include the Base UDS Number plus suffixes with the digit zero through the digit nine and then A through Z, followed by AA, AB, AC, etc.) An example would be: 022030 which is a Parent site with Satellite (Children) sites 02203A and 02203B; while 0220300 is considered a new Parent and not part of the first (022030) as the Base part of the identifier is six characters, and the overall identifier ends with the digit zero) 022030A through 022030Z are Satellites (or Children) of 0220300 as are 022030AA and 022030AB.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: UDS_NUM

Synonym Columns: None.

HDW Data Type: varchar(15)

User Friendly Names: UDS Number; Primary Location UDS Number



County or County Equivalent Federal Information Processing Standard Code

Definition: This attribute represents the numeric character string assigned by the

National Institute of Standards and Technology to the counties and/or county

equivalents for the states, the District of Columbia, and U.S. territories.

Valid Values: Expected values are numeric text strings, exactly three digits in length. For

example, 010. Can be NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data mart refresh is a snapshot in time. The Federal Information Processing Standards (FIPS) code for county and county

equivalent entities are unique to the U.S. state or U.S. territory to which it is

associated.

Data Restriction: Public

Business Rule / Format: None.

Organization: National Institute of Standards and Technology (NIST); HRSA, Bureau of

Health Workforce (BHW), Division of Policy and Shortage Designation

(DPSD)

Update Frequency: As Required

Column Name: COUNTY_FIPS_CD

Synonym Columns: COUNTY_FIPS_CD; CntFips

HDW Data Type: char(3)

User Friendly Names: County or County Equivalent Federal Information Processing Standard

Code; County FIPS; County FIPS Code; CountyFIPS



County Equivalent Name

Definition: This attribute represents the name of the county or county equivalent in

which the associated address is located, displayed as a text string.

Valid Values: Expected values are alphabetic text strings for county names. For example,

Not Determined; Prince William; Tinian; Western; Winchester City; Winn;

Wotje; Yakutat; Yap; Yauco; or Yukon-Koyukuk. Can be NULL.

HDW Transformation: (1) This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data mart refresh is a snapshot in time. (2) For the HRSA Data Warehouse locator tools this attribute is computed on demand and is associated with the spatial feature (to include being assigned no

value).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: COUNTY_NM

Synonym Columns: COUNTY_NM; CntNM

HDW Data Type: varchar(50)

User Friendly Names: County Equivalent Name; County; County Equivalent; County Name; County

or County Equivalent; County or County Equivalent Name; County, County

Equivalent; Grantee County Name



State FIPS and Congressional District Number Code

Definition: This attribute represents the concatenation of the State Federal Information

Processing Standard (FIPS) and Congressional District Number Code in

which the entity is located.

Valid Values: Expected values are four digit numeric text strings with leading zeros. For

example, 0643. Cannot be NULL.

HDW Transformation: (1) Concatenation of the State Federal Information Processing Standard

(FIPS) code and the two digit Congressional District Number (could be characterized as a code). (2) This attribute is a common element which may be used in multiple data marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data mart refresh is a

snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: STATE_FIPS_CD_CONG_DIST_NUM

Synonym Columns: None.

HDW Data Type: varchar(4)

User Friendly Names: State FIPS and Congressional District Number Code; State Federal

Information Processing Standard Code and Congressional District Number Code; State FIPS and Congressional District Number; State FIPS Code

Congressional District Number



Site Name

Definition: This attribute represents the name of a health care facility.

Valid Values: Expected values are text strings containing the name of the organization or

center (as provided by the source system). For example, Family Health

Center Of Southern Oklahoma. Cannot be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: SITE_NM

Synonym Columns: None.

HDW Data Type: varchar(250)

User Friendly Names: Site Name; Health Center Name; Site



Site Address

Definition: This attribute represents the street address portion of the address of a health

care facility contained in the source data system.

Valid Values: Expected values are text strings with the building numbers, street names,

and possibly suite numbers (with dashes, parenthesis, or other punctuation).

For example, "665 Opelika Rd Ste 100". Can be NULL.

HDW Transformation: Changed, as necessary, as part of the HRSA Data Warehouse address

standardization process.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: SITE_ADDRESS

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: Site Address; Address; Facility Address



Site City

Definition: This attribute represents the city name portion of the address of a health

care facility contained in the source system.

Valid Values: Expected values are alphabetic text strings representing city names. For

example, BLACK RIVER FALLS or HONOLULU. Can be NULL.

HDW Transformation: Changed, as necessary, as part of the HRSA Data Warehouse address

standardization process.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: SITE_CITY

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: Site City; City; Facility City

Update Date (Metadata): 05/01/2016

Data as of: 06/16/2017



Site State Abbreviation

Definition: This attribute represents the U.S. Postal Service (USPS) two alphabetic

character code for a U.S. state or U.S. territory of the address of a health

care facility.

Valid Values: Expected values are two character alphabetic text strings representing the

state. The valid values are: XX, AK, AL, AR, AS, AZ, CA, CO, CT, DC, DE, FL, FM, GA, GU, HI, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MH, MI, MN, MO, MP, MS, MT, NC, ND, NE, NH, NJ, NM, NV, NY, OH, OK, OR, PA, PR, PW, RI, SC, SD, TN, TX, UM, UT, VA, VI, VT, WA, WI, WV, WY. Can be

NULL.

HDW Transformation: Changed, as necessary, as part of the HRSA Data Warehouse address

standardization process.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: SITE_STATE_ABBR

Synonym Columns: None.

HDW Data Type: char(2)

User Friendly Names: Site State Abbreviation; Facility State Abbreviation; State; State Abbreviation



Site Postal Code

Definition: This attribute represents the U.S. Postal Service ZIP Code portion of the

address of a health care facility.

Valid Values: Expected values are 5 or 10 character numeric text strings in the HRSA Data

Warehouse postal code format (either ####-#### or #####). For example,

20852 or 96780-1357. Cannot be NULL.

HDW Transformation: Changed, as necessary, as part of the HRSA Data Warehouse address

standardization process.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: SITE_ZIP_CD

Synonym Columns: None.

HDW Data Type: varchar(25)

User Friendly Names: Site Postal Code; Facility ZIP Code; Site ZIP Code; ZIP Code



U.S. - Mexico Border 100 Kilometer Indicator

Definition: This attribute represents the indication of whether any portion of the

geographic entity cited is within 100 kilometers of the U.S. - Mexico border. The HRSA Data Warehouse generates this value by performing a geoprocessing analysis against the 100 kilometer U.S. - Mexico border region as defined by the HRSA Office of Rural Health Policy, Border Health

Program.

Valid Values: Expected values are single character text strings. The valid values are: Y

and N. Can be NULL.

HDW Transformation: This value is determined by geospatial analysis, if the entity location (U.S.

entity) is determined to be within 100 Kilometers of the U.S. - Mexico border then Y (Yes), otherwise N (No). If the entity location cannot be determined

then N (No).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: US_MEXICO_BORDER_100KM_IND

Synonym Columns: US_MEXICO_BORDER_100KM_IND; UMBd100Ind

HDW Data Type: char(1)

User Friendly Names: U.S. - Mexico Border 100 Kilometer Indicator; La Paz Agreement; Primary

Care Service Area U.S. - Mexico Border Indicator; U.S. - Mexico Border 100

Kilometer Status Indicator



HHS Region Name

Definition: This attribute represents the formal name for the U.S. Department of Health

and Human Services (HHS) Region associated with the entity location or

address.

Valid Values: Expected values are alphabetic text strings formatted as "Region XXXX"

where the XXX is a valid roman numeral (I through X). The valid values are: Region I, Region II, Region III, Region IV, Region V, Region VI, Region VII,

Region VIII, Region IX, Region X. Can be NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: U.S. Department of Health and Human Services (HHS)

Update Frequency: As Required

Column Name: REGION_NM

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: HHS Region Name; Component HHS Region; HHS Region; Region Name;

Site HHS Region

Update Date (Metadata): 05/27/2016

Data as of: 06/16/2017



State and County Federal Information Processing Standard Code

Definition: This attribute represents the State County Federal Information Processing

Standard (FIPS) Code.

HRSA Data Warehouse

Valid Values: Expected values are five digit numeric text strings. For example, 01001.

Cannot be NULL.

HDW Transformation: (1) Concatenation of the State Federal Information Processing Standard

(FIPS) code and the County Federal Information Processing Standard (FIPS) code. (2) This attribute is a common element which may be used in multiple data marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Organization:

Business Rule / Format: None.

Update Frequency: As Required

Column Name: STATE_COUNTY_FIPS_CD

Synonym Columns: STATE_COUNTY_FIPS_CD; StCntFips

HDW Data Type: char(5)

User Friendly Names: State and County Federal Information Processing Standard Code; State

County FIPS Code



County Description

Definition: This attribute represents the type of county or county equivalent (as listed in

Federal Information Processing Standard (FIPS) Pub 6-4 documentation) for

a county identified by a state and county FIPS code.

Valid Values: Expected values are character text strings. The valid values are: Borough;

Census Area; City; County; District; Island; Municipality; Municipio; Not

Determined; Parish; and State. Can be NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: National Institute of Standards and Technology (NIST)

Update Frequency: As Required

Column Name: COUNTY_DESC

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: County Description

Update Date (Metadata): 05/27/2016

Data as of: 06/16/2017



BPHC Assigned Number

Definition: This attribute represents the site number assigned by the source system for

HRSA, Bureau of Primary Health Care (BPHC) sites.

Valid Values: Expected values are formatted nine character alphanumeric text strings

starting with BPS, a dash, the three character health center grant activity code or LAL, and ending with exactly five numerals (numeric string with leading zeroes). For example, BPS-H1C-008749; BPS-H1C-008896; BPS-H80-000003; BPS-H80-000125; BPS-H80-012598; BPS-H80-013605; BPS-LAL-009699; BPS-LAL-012516; BPS-LAL-012546; or BPS-LAL-013608.

Cannot be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: BPHC_SITE_NUM

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: BPHC Assigned Number; Bureau of Primary Health Care Assigned Number



Termination Date

Definition: This attribute represents the date on which the entity (e.g., grant, site, etc.)

was terminated (no longer active).

Valid Values: Expected values are date time where the time is the midnight or the zero

hour. For example, "2013-10-15 00:00:00.000". Can be NULL.

HDW Transformation: Strip the time component from source date value (essentially midnight or the

zero hour).

Data Restriction: Public

Business Rule / Format: For a grant this is the date on which the grant period has ended and the

grant has been terminated.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: Termination_Dt

Synonym Columns: None.

HDW Data Type: datetime

User Friendly Names: Termination Date



HHS Region Code

Definition: This attribute represents the U.S. Department of Health and Human Services

(HHS) Region code.

Valid Values: Expected values are two character numeric text strings representing the

region. The valid values are: 01, 02, 03, 04, 05, 06, 07, 08, 09, 10. Can be

NŬLL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: U.S. Department of Health and Human Services (HHS)

Update Frequency: As Required

Column Name: REGION_CD

Synonym Columns: None.

HDW Data Type: char(2)

User Friendly Names: HHS Region Code; Region Code



Congressional District Number

Definition: This attribute represents the two (2) character numeric depiction of the

Congressional District (if any) in a state or territory in which a geographic

feature is located.

Valid Values: Expected values are two character numeric text strings. For States with more

than one Congressional District, the value starts at 01 and increments by 1 for each additional Congressional District in the State. States that comprise only a single (voting) Congressional District have the value 00. Non-voting Districts (such as those in the District of Columbia and some U.S. Territories) have the value 98. Territories that do not have representation have the value

99. Can be NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data

mart is refreshed. Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: CONG_DIST_NUM

Synonym Columns: None.

HDW Data Type: char(2)

User Friendly Names: Congressional District Number



Grantee Name

Definition: This attribute represents the name of the organization that is the recipient of

a HRSA grant as identified in the HRSA Electronic Handbooks (EHB) (the HRSA source system for grants management) at the time of the most recent

data refresh.

Valid Values: Expected values are text strings containing the name of the organization. For

example, LEWIS & CLARK CITY-CO. HEALTH DEPT.; The New York & Presbyterian Hospital, Inc.; University Clinical, Education & Research Associates (UCERA); or Trover Clinic Foundation, Inc. (d.b.a. Trover Health

System). Cannot be NULL.

HDW Transformation: The Grantee Name is an attribute of the grant so it may be NULL or

populated with the name of the grantee identified in the Central Registry by the 12 character EIN. The Grantee Name is the name that was associated with the grant in the HRSA Electronic Handbook (EHB) at the time of the grants data refresh. The Grantee Name is required for a grant transaction to be processed. The Grantee Name may change during the life cycle of the grant and does not have to be the same as any transaction grantee name in

the source data awards table.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Electronic Handbooks (EHB)

Update Frequency: Daily

Column Name: GRANTEE NM

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: Grantee Name

Update Date (Metadata): 01/04/2016



U.S. - Mexico Border County Indicator

Definition: This attribute represents the indication of whether a county or a part of a

county is listed in U.S. counties that the U.S. - Mexico Border Health Commission has defined as comprising the Border Health Initiative zone. For counties in the contiguous U.S., this data element may differ from the value of the U.S. - Mexico Border 100 Kilometer Indicator due to the fact that three counties in Arizona fall partially within the defined 100-kilometer boundary area, but are not listed in the list of counties that the U.S. - Mexico Border

Health Commission identified as comprising the zone of interest.

Valid Values: Expected values are single character text strings. The valid values are: Y

and N. Can be NULL.

HDW Transformation: (1) For the HRSA Data Warehouse County Dimension table the value is Y

(Yes) for those counties in the list of counties identified by the U.S. - Mexico Border Health Commission, otherwise the value is N (No). (2) For data sets this value is determined by geospatial analysis, if the entity location (U.S. entity) is determined to be within a U.S. - Mexico Border Health Commission identified county then Y (Yes), otherwise N (No). If the entity location cannot

be determined then N (No).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Office of Rural Health Policy (ORHP), Border Health Program

Update Frequency: As Required

Column Name: US_MEXICO_BORDER_COUNTY_IND

Synonym Columns: US_MEXICO_BORDER_COUNTY_IND; UMBdCntInd

HDW Data Type: char(1)

U.S. - Mexico Border County Indicator; Primary Care Service Area U.S. -

Mexico Border County Indicator



Complete County Name

Definition: This attribute represents the proper county name associated with a specified

data element.

Valid Values: Expected values are alphabetic text strings for the proper county name. For

example, Not Determined; Hawaii County; Prince William County; Tinian Municipality; Western District; Winchester City; Winn Parish; Wotje; Yakutat Borough; Yap State; Yauco Municipio; or Yukon-Koyukuk Census Area. Can

be NULL.

HDW Transformation: (1) This attribute is formulated by concatenating the County Dimension table

element County Name with County Dimension table element County Description and processed to remove sequential duplicated words. (2) This attribute is a common element which may be used in multiple data marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed.

Each data mart refresh is a snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: LIST_BOX_COUNTY_NM

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: Complete County Name; County; County Name; County, County Name; List

Box County Name



Name of U.S. Senator Number One

Definition: This attribute represents the name of one of the two United States Senators

for the state associated with the entity.

Valid Values: Expected values are text strings containing the name of the person and the

format is First Name Middle Name Last Name, Suffix. For example, John Jacob Jingleheimer-Schmidt, III; Jane Q. Public; Mariel Hamm; or George Edward Pope. The District of Columbia and the U.S. territories and possessions do not have members in the U.S. Senate. Can be NULL.

HDW Transformation: This attribute is a common element which may be used in multiple data

marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data mart refresh is a snapshot in time. The District of Columbia and the U.S. territories and possessions do not have members

in the U.S. Senate.

Data Restriction:PublicBusiness Rule / Format:None.

Organization: U.S. Senate

Update Frequency: Monthly

Column Name: US_SENATE_NM1

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: Name of U.S. Senator Number One; Name of U.S. Senator; Senator Name

(1 of 2); Senator Name (1); Senator Name(1); U.S. Senate Name (1); U.S.

Senator; U.S. Senator Name (1)



Data Warehouse Record Create Date Text

Definition: This attribute represents the date on which the data was processed by the

HRSA Data Warehouse.

Valid Values: Expected values are text strings representing a date value in the format

yyyy/mm/dd. For example, 2014/01/10 or 2013/09/17. Cannot be NULL.

HDW Transformation: (1) System date on which the data set was refreshed converted to a

character string formatted as yyyy/mm/dd (four digit year slash two digit month slash two digit day). (2) This attribute is a common element which may be used in multiple data marts. At the time of a data mart refresh, this attribute is entered as a snapshot of the current state of the data and is not refreshed until the data mart is refreshed. Each data mart refresh is a

snapshot in time.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: DW_RECORD_CREATE_DT_TXT

Synonym Columns: DW_RECORD_CREATE_DT_TXT; DwRecCtDtT

HDW Data Type: varchar(25)

User Friendly Names: Data Warehouse Record Create Date Text; SNAP; Snapshot Date; Snapshot

Date String; Snapshot Date Text

Update Date (Metadata): 06/16/2017



Site Telephone Number

Definition: This attribute represents the telephone number at a primary health center

service delivery site.

Valid Values: Expected values are telephone numbers with a format of 999-999-9999,

x9999 as the extension. All non-numeric characters are deleted. Can be

NULL.

HDW Transformation: Changed, as necessary, as part of the HRSA Data Warehouse phone

number standardization process. All non-numeric characters are deleted.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Health Workforce (BHW)

Update Frequency: Daily

Column Name: SITE_PHONE_NUM

Synonym Columns: None.

HDW Data Type: varchar(25)

User Friendly Names: Site Telephone Number; Phone Number; Telephone Number



Geocoding Artifact Address Primary X Coordinate

Definition: This attribute represents the primary longitude in decimal degrees (x

coordinate) of an entity based on its address.

Valid Values: Expected values are negative numbers with eight decimals of precision. For

example, -178.30602700 or -66.94988200. Can be NULL.

HDW Transformation: (1) Standard Processing for Most Data Sets: This value is assigned based on

geoprocessing using the standard HRSA Data Warehouse (HDW) address standardization and processing rules. When an address cannot be

geocoded, the value is set to NULL. The accuracy of a match returned by a search depends on the amount and quality of the address information

submitted. For further information about match accuracy, please refer to the

Esri ArcGIS Resources, ArcGIS REST API at the http://resources.arcgis.com/en/help/arcgis%2Drest

%2Dapi/index.html#//02r300000017000000 web page. (2) Health Professional Shortage Area (HPSA) Data Set: There are some HPSA facilities for which this value is provided directly by the source data system (no transformation). (3) This attribute is a common attribute that is part of multiple data marts and entities. At the time of a data mart refresh, this attribute is a snapshot of the current state of the data and is not refreshed until the next refresh of the data mart. Each data mart refresh is a snapshot

in time.

None.

Data Restriction: Public

Organization: Esri

Business Rule / Format:

Update Frequency: As Required

Column Name: X

Synonym Columns: None.

HDW Data Type: numeric(38,8)

User Friendly Names: Geocoding Artifact Address Primary X Coordinate; Address Primary X

Coordinate; Latitude; Longitude; Organ Transplantation Center Longitude

Update Date (Metadata): 06/05/2017



Geocoding Artifact Address Primary Y Coordinate

Definition: This attribute represents the primary latitude in decimal degrees (y

coordinate) of an entity based on its address.

Valid Values: Expected values are positive numbers with eight decimals of precision. For

example, 18.91747300 or 71.32993600. Can be NULL.

HDW Transformation: (1) Standard Processing for Most Data Sets: This value is assigned based on

geoprocessing using the standard HRSA Data Warehouse (HDW) address

standardization and processing rules. When an address cannot be geocoded, the value is set to NULL. The accuracy of a match returned by a

search depends on the amount and quality of the address information submitted. For further information about match accuracy, please refer to the

Esri ArcGIS Resources, ArcGIS REST API at the http://resources.arcgis.com/en/help/arcgis%2Drest

%2Dapi/index.html#//02r300000017000000 web page. (2) Health Professional Shortage Area (HPSA) Data Set: There are some HPSA facilities for which this value is provided directly by the source data system (no transformation). (3) This attribute is a common attribute that is part of multiple data marts and entities. At the time of a data mart refresh, this attribute is a snapshot of the current state of the data and is not refreshed until the next refresh of the data mart. Each data mart refresh is a snapshot

in time.

None.

Data Restriction: Public

Organization: Esri

Business Rule / Format:

Update Frequency: As Required

Column Name: Y

Synonym Columns: None.

HDW Data Type: numeric(38,8)

User Friendly Names: Geocoding Artifact Address Primary Y Coordinate; Address Primary Y

Coordinate; Latitude; Longitude; Organ Transplantation Center Latitude

Update Date (Metadata): 06/05/2017



Site Web Address

Definition: This attribute represents the Uniform Resource Locator (URL) or internet

address for the organization or entity associated with the specified record.

Valid Values: Expected values are alphanumeric text strings which include special and

punctuation characters for web sites. For example,

http://en.wikipedia.org/wiki/Uniform_resource_locator. Can be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: SITE_URL

Synonym Columns: None.

HDW Data Type: varchar(250)

User Friendly Names: Site Web Address; Site URL; Site Website; Website

Update Date (Metadata): 05/01/2016

Data as of: 06/16/2017



Administrative Telephone Number

Definition: This attribute represents the administrative phone number (sometimes

labeled appointment phone number) that can be called to learn

administrative information about a primary health center service delivery site,

or to schedule an appointment to receive care.

Valid Values: Expected values are telephone numbers with a the HRSA Data Warehouse

standard format of 999-999-9999, x9999 (the x9999 represents the telephone extension). For example, 703-555-1212; 808-555-1212 x189; or

202-555-1212. Can be NULL.

HDW Transformation: Changed, as necessary, as part of the HRSA Data Warehouse phone

number standardization process.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: ADMIN_PHONE_NUM

Synonym Columns: None.

HDW Data Type: varchar(25)

User Friendly Names: Administrative Telephone Number; Appointment Telephone Number



Community Health HRSA Grant Subprogram Indicator

Definition: This attribute represents the yes/no indicator that identifies whether a given

health center service delivery site is affiliated with an organization that is participating in the Community Health sub-program in the HRSA Primary Care Health Centers grant program. It is not possible to determine from this information whether a particular health center service delivery site offers services related to this program since the information is recorded at the grant level and not at the individual site level. Therefore, all sites affiliated with a

particular grant will have the same set of subprogram affiliations.

Valid Values: Expected values are one, character, alphabetic text strings. The valid values

are: Y and N. Can be NULL.

HDW Transformation: When the source Grant Identification Number is not NULL, the value of the

source Subprogram Identification Number is 265, and the value of the source Subprogram Instance is 1, then set the value to Y (yes), otherwise set the

value to N (no).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Electronic Handbooks (EHB)

Update Frequency: Daily

Column Name: CH_SUB_PROG_IND

Synonym Columns: None.

HDW Data Type: char(1)

User Friendly Names: Community Health HRSA Grant Subprogram Indicator



Health Center Operating Calendar

Definition: This attribute represents the operating calendar that indicates the type of

schedule a health clinic operates. It does not list the specific operating hours

for the clinic.

Valid Values: Expected values are specific descriptive alphabetic text strings. The valid

values are: Unknown; Seasonal; and Year-Round. Cannot be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: HCC_CLND_SCHD_DIM_DESC

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: ealth Center Operating Calendar; ealth Center Operating Calendar;

Operation Calendar Schedule

Update Date (Metadata): 05/15/2015

Data as of: 06/16/2017



Health Center Site Fact Identification Number

Definition: This attribute represents the integer value that uniquely identifies a record in

the primary care service delivery sites fact table.

Valid Values: Expected values are integers. For example, 1; 21; or 348. Can be NULL.

HDW Transformation: One-up incremental counter for new entities.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: Daily

Column Name: HCC_FCT_ID

Synonym Columns: None.

HDW Data Type: int

User Friendly Names: Health Center Site Fact Identification Number; Health Center Site Fact ID



Health Center Location Type Description

Definition: This attribute represents the description of the scope of operations for a

health center service delivery site location.

Valid Values: Expected values are specific descriptive alphabetic text strings. The valid

values are: Unknown; Mobile Van; Permanent; and Seasonal. Cannot be

NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: After 04/16/2016 the filtering criteria was changed to exclude sites in the

following two location types: Migrant Voucher Screening or Intermittent. These types are excluded regardless of whether they are in the scope

verification data source or active status.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: HCC_LOC_DESC

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: Health Center Location Type Description; Health Center Location Type;

Location Type



Health Center Service Delivery Site Location Setting Description

Definition: This attribute represents the description of the location setting for a health

center service delivery site and is used to classify the site according to the

type of institution to which It may be affiliated.

Valid Values: Expected values are specific descriptive alphabetic text strings. The valid

values are: Unknown; All Other Clinic Types; Correctional Facility; Domestic

Violence; Hospital; Nursing Home; School; and Tribal. Cannot be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

HCC_LOC_SETTING_DESC **Column Name:**

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: Health Center Service Delivery Site Location Setting Description; Health

> Care Service Delivery Site Location Setting Description; Health Center Location Setting; Health Center Location Setting Description; Location

Setting



Health Center Operator Description

Definition: This attribute represents the type of organization that operates the health

care delivery site.

Valid Values: Expected values are specific descriptive alphabetic text strings. The valid

values are: Unknown; Contractor; Grantee; and Sub-recipient. Cannot be

NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: HCC_OPER_DESC

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: Health Center Operator Description; Health Center Operator; Organization

Description

Update Date (Metadata): 05/15/2015

Data as of: 06/16/2017



Health Center Operational Schedule Description

Definition: This attribute represents the overall type of operating schedule (e.g., full-time

or part-time) for a health center service delivery site. It does not list the

specific daily hours of operation for the site.

Valid Values: Expected values are specific descriptive alphabetic text strings. The valid

values are: Unknown; Full-Time; and Part-Time. Cannot be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: HCC_OPER_SCHD_DESC

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: Health Center Operational Schedule Description; Operating Schedule



Site Status Description

Definition: This attribute represents the site status, which is used to denote whether a

> given health center service delivery site is affiliated with an organization that has a current health center grant, and that the site itself is currently open for

business.

Valid Values: Expected values are specific descriptive alphabetic text strings. The valid

values are: Unknown; Active; Pending Verification; and Terminated. Cannot

be NULL.

None.

HDW Transformation: None. **Data Restriction: Public Business Rule / Format:**

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: HCC_STATUS_DESC

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: Site Status Description



Health Center Type Description

Definition: This attribute represents the health center service delivery site type. The

health center service delivery site type indicates whether a given health center service delivery site offers direct patient care, functions in an

administrative capacity, or both.

Valid Values: Expected values are specific descriptive alphabetic text strings. The valid

values are: Administrative; Administrative/Service Delivery Site; and Service

Delivery Site. Cannot be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: HCC_TYP_DESC

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: Health Center Type Description; Health Center Type; Site Type

Update Date (Metadata): 05/27/2016

Data as of: 06/16/2017



Health Care for the Homeless HRSA Grant Subprogram Indicator

Definition: This attribute represents the yes/no indicator that denotes whether a given

health care center grant includes funding through the Health Care for the Homeless subprogram. It is not possible to determine from this information whether a particular health center service delivery site offers services related to this program- the information is recorded at the grant level and not at the individual site level. Thus, all sites affiliated with a particular grant will have

the same set of subprogram affiliations.

Valid Values: Expected values are one, character, alphabetic text strings. The valid values

are: Y and N. Can be NULL.

HDW Transformation: When the source Grant Identification Number is not NULL, the value of the

source Subprogram Identification Number is 268, and the value of the source Subprogram Instance is 1, then set the value to Y (yes), otherwise set the

value to N (no).

Data Restriction: Public

Business Rule / Format: Due to the nature of the data collection mechanism, all of the sites that are

affiliated with a given grant will have the same value for this item. There is no means of determining whether any given site actually offers services based

on participation in the subprogram.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: HCH_SUB_PROG_IND

Synonym Columns: None.

HDW Data Type: char(1)

User Friendly Names: Health Care for the Homeless HRSA Grant Subprogram Indicator



Migrant Health Centers HRSA Grant Subprogram Indicator

Definition: This attribute represents the yes/no indicator that denotes whether a site is

associated with a primary health center service delivery grantee organization that receives funding as a part of the Migrant Health centers sub-program. It is not possible to determine from this information whether a particular health center service delivery site offers services related to this program- the information is recorded at the grant level and not at the individual site level. Thus, all sites affiliated with a particular grant will have the same set of

subprogram affiliations.

Valid Values: Expected values are one, character, alphabetic text strings. The valid values

are: Y and N. Can be NULL.

HDW Transformation: When the source Grant Identification Number is not NULL, the value of the

source Subprogram Identification Number is 257, and the value of the source Subprogram Instance is 1, then set the value to Y (yes), otherwise set the

value to N (no).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: MHC_SUB_PROG_IND

Synonym Columns: None.

HDW Data Type: char(1)

User Friendly Names: Migrant Health Centers HRSA Grant Subprogram Indicator



Public Housing HRSA Grant Subprogram Indicator

Definition: This attribute represents the yes/no indicator that denotes whether a primary

health center service delivery site is affiliated with a grantee organization that receives funding under the Health Care for Residents of Public Housing subprogram. It is not possible to determine from this information whether a particular health center service delivery site offers services related to this program- the information is recorded at the grant level and not at the individual site level. Thus, all sites affiliated with a particular grant will have

the same set of subprogram affiliations.

Valid Values: Expected values are one, character, alphabetic text strings. The valid values

are: Y and N. Can be NULL.

HDW Transformation: When the source Grant Identification Number is not NULL, the value of the

source Subprogram Identification Number is 267, and the value of the source Subprogram Instance is 1, then set the value to Y (yes), otherwise set the

value to N (no).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: PHPC_SUB_PROG_IND

Synonym Columns: None.

HDW Data Type: char(1)

User Friendly Names: Public Housing HRSA Grant Subprogram Indicator



School Based Health Center HRSA Grant Subprogram Indicator

Definition: This attribute represents the yes/no indicator that denotes whether a primary

health center service delivery site is affiliated with a grantee organization that receives funding through the School-Based Health Centers subprogram. It is not possible to determine from this information whether a particular health center service delivery site offers services related to this program- the information is recorded at the grant level and not at the individual site level. Thus, all sites affiliated with a particular grant will have the same set of

subprogram affiliations.

Valid Values: Expected values are one, character, alphabetic text strings. The valid values

are: Y and N. Can be NULL.

HDW Transformation: When the source Grant Identification Number is not NULL, the value of the

source Subprogram Identification Number is 266, and the value of the source Subprogram Instance is 1, then set the value to Y (yes), otherwise set the

value to N (no).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: SBHC_SUB_PROG_IND

Synonym Columns: None.

HDW Data Type: char(1)

User Friendly Names: School Based Health Center HRSA Grant Subprogram Indicator



Site Data Source

Definition: This attribute represents the data source for the HRSA site (National Health

Service Corps (NHSC) service site, Bureau of Primary Health Care (BPHC) health center service delivery site, or HIV/AIDS Bureau (HAB) grantee /

service provider, etc.) to which the address record belongs.

Valid Values: Expected values are specific codes identifying the record as a HRSA Health

Center or Health Center Look-Alike which are alphabetic text strings. The

valid values are: ESR_SCP or FQHC_LKL. Cannot be NULL.

HDW Transformation: When the associated source Resource Type Code is 48, then set the value

to FQHC_LKL, otherwise set the value to ESR_SCP.

Data Restriction: Public

Business Rule / Format:

Organization: HRSA, Bureau of Primary Health Care (BPHC)

None.

Update Frequency: Daily

Column Name: SITE_DATA_SOURCE

Synonym Columns: None.

HDW Data Type: varchar(10)

User Friendly Names: Site Data Source



Site Facsimile Telephone Number

Definition: This attribute represents the fax number for a primary health center service

delivery site or a National Health Service Corps site.

Valid Values: Expected values are phone numbers with a format of 999-999-9999, x9999

as the extension (all non-numeric characters are removed in formatting process). For example, 202-456-1111 or 808-555-1212 x172. Can be NULL.

HDW Transformation: Changed, as necessary, as part of the HRSA Data Warehouse telephone

number standardization process.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: SITE_FAX_NUM

Synonym Columns: None.

HDW Data Type: varchar(25)

User Friendly Names: Site Facsimile Telephone Number; Site FAX Telephone Number



Health Center Site Population Type Description

Definition: This attribute represents the type of population served by the primary health

center service delivery site, categorized by whether the population served

primarily live in a rural setting or in an urban setting.

Valid Values: Expected values are specific descriptive alphabetic text strings. The valid

values are: Unknown; Rural; Sparsely Populated; and Urban. Cannot be

NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: SITE_POP_TYP_DESC

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: Health Center Site Population Type Description; Health Center Site

Population Type; Urban/Rural Setting



Operating Hours per Week

Definition: This attribute represents the number of hours per week a primary health

center service delivery site is typically scheduled to be open for patient care.

It does not indicate the daily schedule of when the site may be open.

Valid Values: Expected values are numbers with two decimals. For example, 94.00 or

40.00. Can be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: TOT_OPER_HR_PER_WEEK

Synonym Columns: None.

HDW Data Type: numeric(5,2)

User Friendly Names: Operating Hours per Week

Update Date (Metadata): 05/27/2016

Data as of: 06/16/2017



Grantee Organization Type Description

Definition: This attribute represents the description of the grantee organization in terms

of its ownership model (publicly-owned or privately-owned) and its status as

a for-profit or not-for-profit entity.

Valid Values: Expected values are specific descriptive alphabetic text strings. The valid

values are: Corporate Entity, Federal Tax Exempt; Corporate Entity, Not Federal Tax Exempt; Foreign Government; Other; Special District; U.S.

Government Entity; or the empty string. Can be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: GRANTEE_ORG_DESC

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: Grantee Organization Type Description; Organization Type



Grantee Uniform Resource Locator (URL)

Definition: This attribute represents the Uniform Resource Locator (URL), also referred

to as the internet address, for the website of the grantee organization.

Valid Values: Expected values are alphanumeric text strings which include special and

punctuation characters for web sites. For example,

http://en.wikipedia.org/wiki/Uniform_resource_locator. Can be NULL.

HDW Transformation: When there is no entry in the source system the value is set to "None"

otherwise the source value as is.

Data Restriction: Public

Business Rule / Format:

None. Organization: HRSA Electronic Handbooks (EHB)

Update Frequency: Daily

Column Name: GRANTEE_ORG_URL

Synonym Columns: None.

HDW Data Type: varchar(250)

Grantee Uniform Resource Locator (URL); Grantee Organization URL **User Friendly Names:**



Health Center Operating Calendar Surrogate Key

Definition: This attribute represents the HRSA Data Warehouse integer value that

uniquely identifies a primary care service delivery site operating calendar.

Valid Values: Expected values are integers. For example, 1; 21; or 348. Can be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: One-up incremental counter for new entities.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: HCC_CLND_SCHD_ID

Synonym Columns: None.

HDW Data Type: int

User Friendly Names: Health Center Operating Calendar Surrogate Key; Health Center Operating

Calendar Schedule Identification Number

Update Date (Metadata): 11/18/2016

Data as of: 06/16/2017



Health Center Grantee Identification Number

Definition: This attribute represents the integer value that uniquely identifies a record in

the primary health center service delivery site grantee dimension table.

Valid Values: Expected values are integers. For example, 1; 21; or 348. Can be NULL.

HDW Transformation: One-up counter in the grantee dimension table.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: Daily

Column Name: HCC_GRANTEE_ID

Synonym Columns: None.

HDW Data Type: int

User Friendly Names: Health Center Grantee Identification Number



Health Center Location Identification Number

Definition: This attribute represents the integer value that uniquely identifies a Health

Center Service Delivery site location type.

Valid Values: Expected values are integers. For example, 1; 21; or 348. Can be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: After 04/16/2016 the filtering criteria was changed to exclude sites in the

following two location types: Migrant Voucher Screening or Intermittent. These types are excluded regardless of whether they are in the scope

verification data source or active status.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: HCC_LOC_ID

Synonym Columns: None.

HDW Data Type: int

User Friendly Names: Health Center Location Identification Number



Health Center Location Setting Identification Number

Definition: This attribute represents the integer value that uniquely identifies a health

center service delivery site location setting.

Valid Values: Expected values are integers. For example, 1; 21; or 348. Can be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: HCC_LOC_SETTING_ID

Synonym Columns: None.

HDW Data Type: int

User Friendly Names: Health Center Location Setting Identification Number



Health Center Operator Identification Number

Definition: This attribute represents the integer value that uniquely identifies a health

center service delivery site operator type.

Valid Values: Expected values are integers. For example, 1; 21; or 348. Can be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: HCC_OPER_ID

Synonym Columns: None.

HDW Data Type: int

User Friendly Names: Health Center Operator Identification Number



Health Center Operating Schedule Identification Number

Definition: This attribute represents the integer that uniquely identifies a site operating

schedule.

Valid Values: Expected values are integers. For example, 1; 21; or 348. Can be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: HCC_OPER_SCHD_ID

Synonym Columns: None.

HDW Data Type: int

User Friendly Names: Health Center Operating Schedule Identification Number; Health Center

Operating Calendar Schedule Identification Number



Health Center Status Identification Number

Definition: This attribute represents the HRSA Data Warehouse system generated

number that uniquely identifies a health care center site status.

Valid Values: Expected values are integers. For example, 1; 21; or 348. Can be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: Daily

Column Name: HCC_STATUS_ID

Synonym Columns: None.

HDW Data Type: int

User Friendly Names: Health Center Status Identification Number



Health Center Type Identification Number

Definition: This attribute represents the HRSA Data Warehouse system generated

number that uniquely identifies a health care center site type.

Valid Values: Expected values are integers. For example, 1; 21; or 348. Can be NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: Daily

Column Name: HCC_TYP_ID

Synonym Columns: None.

HDW Data Type: int

User Friendly Names: Health Center Type Identification Number



Uniform Resource Locator (URL) for a Member of the U.S. House of Representatives

Definition: This attribute represents the internet address, for the web site of a member

of the U.S. House of Representatives.

Valid Values: Expected values are alphanumeric text strings which include special and

punctuation characters for web sites, generally a HTTP URL consists of the following: scheme name (commonly called protocol), a colon, two slashes, a host (normally given as a domain name but sometimes as a literal IP address), optionally a port number, and full path of the resource. For example, http://en.wikipedia.org/wiki/Uniform_resource_locator. Can be

NULL.

HDW Transformation: None.

Data Restriction: Public

Business Rule / Format: A Uniform Resource Locator (URL) is used to identifying a resource on the

World Wide Web and provides a means of locating the resource by

describing its primary access mechanism. The URL is also referred to as the

internet address.

Organization: HRSA Data Warehouse

Update Frequency: As Required

Column Name: REPRESENTATIVE_URL

Synonym Columns: None.

HDW Data Type: varchar(250)

User Friendly Names: Uniform Resource Locator (URL) for a Member of the U.S. House of

Representatives



Site Address Identification Number

Definition: This attribute represents the HRSA Data Warehouse (HDW) system

generated number that uniquely identifies a record in the service delivery

sites address dimension table.

Valid Values: Expected values are integers. For example, 1; 21; or 348. Can be NULL.

HDW Transformation: One-up incremental counter for new entities.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Data Warehouse

Update Frequency: Daily

Column Name: SITE_ADDRESS_ID

Synonym Columns: None.

HDW Data Type: int

User Friendly Names: Site Address Identification Number



Site Address Source System Identification Number

Definition: This attribute represents the identification number from the health center

service delivery site source database that uniquely identifies an address

record.

Valid Values: Expected values are 36 character hexadecimal text strings formatted as: 8

hexadecimal characters, a dash, 4 hexadecimal characters, 4 hexadecimal characters, 4 hexadecimal characters, and 12 hexadecimal characters. For example, 0FFD0AD5-937F-40F7-8E0C-AEFA78E7F188; 1FFFCE8C-2412-

4D23-8220-87228A23BF19; or FFFB237F-A012-482F-BC83-

2C5DCA4772DE. Cannot be NULL.

HDW Transformation: The source element, of SQL Server data type globally unique identifier

(GUID), is converted and stored as a character string.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: SITE_ADDRESS_SOURCE_ID

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: Site Address Source System Identification Number



Grant Telephone Number

Definition: This attribute represents the 10 digit telephone number and extension of the

primary contact associated with the grant.

Valid Values: Expected values are telephone numbers with a the HRSA Data Warehouse

standard format of 999-999-9999, x9999 (the x9999 represents the telephone extension). For example, 703-555-1212; 808-555-1212 x189; or

202-555-1212. Can be NULL.

HDW Transformation: Changed, as necessary, as part of the HRSA Data Warehouse phone

number standardization process. All non-numeric characters are deleted.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA Electronic Handbooks (EHB)

Update Frequency: Daily

Column Name: GRANT_PHONE_NUM

Synonym Columns: None.

HDW Data Type: varchar(25)

User Friendly Names: Grant Telephone Number



Enterprise Site Repository Source ID

Definition: This attribute represents the identification number which uniquely identifies

the site in the source data system, the Enterprise Site Repository (ESR) .

Valid Values: Expected values are 36 character hexadecimal text strings formatted as: 8

hexadecimal characters, a dash, 4 hexadecimal characters, 4 hexadecimal characters, 4 hexadecimal characters, and 12 hexadecimal characters. For example, 0FFD0AD5-937F-40F7-8E0C-AEFA78E7F188; 1FFFCE8C-2412-

4D23-8220-87228A23BF19; or FFFB237F-A012-482F-BC83-

2C5DCA4772DE. Cannot be NULL.

HDW Transformation: The source element, of SQL Server data type globally unique identifier

(GUID), is converted and stored as a character string.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: SITE_ESR_SOURCE_ID

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: Enterprise Site Repository Source ID

Update Date (Metadata): 05/15/2015

Data as of: 06/16/2017



Site Added to Scope this Date

Definition: This attribute represents the date on which a health center service delivery

site was recognized by the Bureau of Primary Health Care (BPHC) of the Health Resources and Services Administration (HRSA) to be within the

scope of the applicable grant program.

Valid Values: Expected values are date time where the time is the midnight or the zero

hour. For example, "2013-10-15 00:00:00.000". Cannot be NULL.

HDW Transformation: Strip the time component from source date value (essentially midnight or the

zero hour).

Data Restriction: Restricted

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: SITE_ADD_TO_SCP_DT

Synonym Columns: None.

HDW Data Type: datetime

User Friendly Names: Site Added to Scope this Date; Site Add to Scope Date



Site Add to Scope Date Text

Definition: This attribute represents the date on which a health center service delivery

site was recognized by the Bureau of Primary Health Care (BPHC) of the Health Resources and Services Administration (HRSA) to be within the scope of the applicable grant program and formatted as a text string.

Valid Values: Expected values are text strings representing a date value in the format

yyyy/mm/dd. For example, 2014/01/10 or 2013/09/17. Cannot be NULL.

HDW Transformation: This date value is expressed as a character string formatted as yyyy/mm/dd

(four digit year slash two digit month slash two digit day).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: SITE_ADD_TO_SCP_DT_TXT

Synonym Columns: None.

HDW Data Type: varchar(25)

User Friendly Names: Site Add to Scope Date Text



Site Open Date Text

Business Rule / Format:

Definition: This attribute represents the date on which the site entity opened as

represented in the source data system at the time of the most recent data

refresh, displayed as a text string.

Valid Values: Expected values are text strings representing a date value in the format

yyyy/mm/dd. For example, 2014/01/10 or 2013/09/17. Can be NULL.

HDW Transformation: This date value is expressed as a character string formatted as yyyy/mm/dd

(four digit year slash two digit month slash two digit day).

Data Restriction: Public

Organization: HRSA, Bureau of Primary Health Care (BPHC)

None.

Update Frequency: Daily

Column Name: SITE_OPEN_DT_TXT

Synonym Columns: None.

HDW Data Type: varchar(25)

User Friendly Names: Site Open Date Text



Mailing City

Definition: This attribute represents the city associated with the address where the

entity receives mail.

Valid Values: Expected values are alphabetic text strings representing city names. For

example, BLACK RIVER FALLS or HONOLULU. Can be NULL.

HDW Transformation: Changed, as necessary, as part of the HRSA Data Warehouse address

standardization process.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: MAILING_CITY

Synonym Columns: None.

HDW Data Type: varchar(50)
User Friendly Names: Mailing City
Update Date (Metadata): 05/15/2015



Mailing ZIP Code

Definition: This attribute represents the U.S. Postal Service Zone Improvement Plan

(ZIP) Code associated with the address where the entity receives mail.

Valid Values: Expected values are 5 or 10 character numeric text strings in the HRSA Data

Warehouse postal code format (either #####-#### or #####). For example,

20852 or 96780-1357. Cannot be NULL.

HDW Transformation: Changed, as necessary, as part of the HRSA Data Warehouse address

standardization process.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: MAILING_ZIP_CD

Synonym Columns: None.

HDW Data Type: varchar(25)

User Friendly Names: Mailing ZIP Code



Mailing Address

Definition: This attribute represents the street address where the entity receives mail.

Valid Values: Expected values are text strings with the building numbers, street names,

and possibly suite numbers (with dashes, parenthesis, or other punctuation) formatted in mixed case. For example, "665 Opelika Rd Ste 100". Can be

NULL.

HDW Transformation: Changed, as necessary, as part of the HRSA Data Warehouse address

standardization process.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: MAILING_ADDRESS

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: Mailing Address



Mailing State Abbreviation

Definition: This attribute represents the two-letter state abbreviations (used by the U.S.

Postal Service) associated with the address where the entity receives mail.

Valid Values: Expected values are two character alphabetic text strings representing the

state. The valid values are: XX; AK; AL; AR; AS; AZ; CÅ; CO; CT; DC; DE; FL; FM; GA; GU; HI; IA; ID; IL; IN; KS; KY; LA; MA; MD; ME; MH; MI; MN; MO; MP; MS; MT; NC; ND; NE; NH; NJ; NM; NV; NY; OH; OK; OR; PA; PR; PW; RI; SC; SD; TN; TX; UM; UT; VA; VI; VT; WA; WI; WV; and WY. Can be

NULL.

HDW Transformation: Overwrite this with the lookup value from Common State Dimension table.

Changed, as necessary, as part of the HRSA Data Warehouse address

standardization process.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: MAILING_STATE_ABBR

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: Mailing State Abbreviation

Update Date (Metadata): 05/15/2015



Site Open Date

Definition: This attribute represents the date on which the site entity opened as

represented in the source data system at the time of the most recent data

refresh.

Valid Values: Expected values are date time where the time is the midnight or the zero

hour. For example, "2013-10-15 00:00:00.000". Can be NULL.

HDW Transformation: Strip the time component from source date value (essentially midnight or the

zero hour).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: SITE_OPEN_DT

Synonym Columns: None.

HDW Data Type: datetime

User Friendly Names: Site Open Date

Update Date (Metadata): 05/15/2015



Federally Qualified Health Center (FQHC) Look-Alike Number

Definition: This attribute represents the numeric identifier assigned by the HRSA

Bureau of Primary Health Care to uniquely identify organizations designated

as Federally Qualified Health Center (FQHC) Look-Alike parent

organizations.

Valid Values: Expected values are formatted eight character alphanumeric text strings

starting with LAL followed by exactly five numerals. For example, LAL00001;

LAL00043; LAL01044; or LAL10045. Cannot be NULL.

HDW Transformation: (1) The source for the Health Center Look-Alike "operating entity" information

changed in November 2016 (the original source was discontinued July 2016 and the Look-Alike data remained frozen until the new "operating entity" source came on-line). (2) The Look-Alike number is retrieved from the HRSA

Electronic Handbooks (EHB) grants table.

Data Restriction: Public

Business Rule / Format: (1) This attribute is used to provide the linkage between the parent

organization and the satellite sites for Federally Qualified Health Centers (FQHCs) Look-Alike (LAL) organizations. (2) Starting November 2016, this number will be the string "LAL" followed by a five-digit leading-zero-padded number string. (3) Prior to November 2016, this number was the string "LAL"

followed by a six-digit leading-zero-padded number string.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: FQHC_LAL_NUM

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: Federally Qualified Health Center (FQHC) Look-Alike Number; Health Center

Program Look-Alike Number



Federally Qualified Health Center (FQHC) Look-Alike Organization Name

Definition: This attribute represents the name of the Federally Qualified Health Center

(FQHC) Look-Alike parent organization associated with FQHC satellite sites.

Valid Values: Expected values are free-form alphanumeric text strings which could include

special and punctuation characters. For example, COMMUNITY MEDICAL AND DENTAL CARE, INC; COUNTY OF MONTEREY; County of Riverside Community Health Agency; Dayton Health Center dba Five Rivers Health Centers; DESERT AIDS PROJECT INC.; or EL PUEBLO HEALTH

SERVICES INC. Cannot be NULL.

HDW Transformation: The source for the Health Center Look-Alike "operating entity" information

changed in November 2016 (the original source was discontinued July 2016 and the Look-Alike data remained frozen until the new "operating entity"

source came on-line).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: FQHC_ORG_NM

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: Federally Qualified Health Center (FQHC) Look-Alike Organization Name;

Organization Name



Federally Qualified Health Center (FQHC) Look-Alike Street Address

Definition: This attribute represents the street address of the Federally Qualified Health

Center (FQHC) Look-Alike parent organization associated with FQHC

satellite sites.

Valid Values: Expected values are text strings with the building numbers, street names,

and possibly suite numbers (with dashes, parenthesis, or other punctuation) formatted in mixed case. For example, "665 Opelika Rd Ste 100". Can be

NULL.

HDW Transformation: (1) Constructed by concatenating the building number and street address.

This string is then changed, as necessary, as part of the HRSA Data Warehouse address standardization process. No validation steps are performed to determine that the address data output by the data standardization process is the proper address data for the entity. (2) The source for the Health Center Look-Alike "operating entity" information

changed in November 2016 (the original source was discontinued July 2016 and the Look-Alike data remained frozen until the new "operating entity"

source came on-line).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: FQHC_ADDRESS

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: Federally Qualified Health Center (FQHC) Look-Alike Street Address;

Address



Federally Qualified Health Center (FQHC) Look-Alike Organization City

Definition: This attribute represents the city in which the Federally Qualified Health

Center (FQHC) Look-Alike parent organization is located.

Valid Values: Expected values are alphabetic text strings representing city names. For

example, BLACK RIVER FALLS or HONOLULU. Can be NULL.

HDW Transformation: (1) Changed, as necessary, as part of the HRSA Data Warehouse address

standardization process. (2) The source for the Health Center Look-Alike "operating entity" information changed in November 2016 (the original source was discontinued July 2016 and the Look-Alike data remained frozen

until the new "operating entity" source came on-line).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: FQHC_CITY

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: Federally Qualified Health Center (FQHC) Look-Alike Organization City; City



Federally Qualified Health Center (FQHC) Look-Alike Organization State

Definition: This attribute represents the U.S. Postal Service state abbreviation for the

state in which the Federally Qualified Health Center (FQHC) Look-Alike

parent organization is located.

Valid Values: Expected values are two character alphabetic text strings representing the

state. The valid values are: XX; AK; AL; AR; AS; AZ; CA; CO; CT; DC; DE; FL; FM; GA; GU; HI; IA; ID; IL; IN; KS; KY; LA; MA; MD; ME; MH; MI; MN; MO; MP; MS; MT; NC; ND; NE; NH; NJ; NM; NV; NY; OH; OK; OR; PA; PR; PW; RI; SC; SD; TN; TX; UM; UT; VA; VI; VT; WA; WI; WV; and WY. Can be

NULL.

HDW Transformation: (1) Changed, as necessary, as part of the HRSA Data Warehouse address

standardization process. (2) The source for the Health Center Look-Alike "operating entity" information changed in November 2016 (the original source was discontinued July 2016 and the Look-Alike data remained frozen

until the new "operating entity" source came on-line).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: FQHC_STATE_ABBR

Synonym Columns: None.

HDW Data Type: char(2)

User Friendly Names: Federally Qualified Health Center (FQHC) Look-Alike Organization State;

State



Federally Qualified Health Center (FQHC) Look-Alike Organization ZIP Code

Definition: This attribute represents the U.S. Postal Service Zone Improvement Plan

(ZIP) postal code in which the Federally Qualified Health Center (FQHC)

Look-Alike parent organization is located.

Valid Values: Expected values are 5 or 10 character numeric text strings in the HRSA Data

Warehouse postal code format (either ####-#### or #####). For example,

20852 or 96780-1357. Cannot be NULL.

HDW Transformation: (1) The default postal code for the HRSA Data Warehouse is the U.S. Postal

Service (UPS) Zone Improvement Plan (ZIP) postal code. (2) Concatenate the ZIP Code and the ZIP Plus 4 source elements in accordance with HRSA Data Warehouse (HDW) practices. The resulting string is changed, as necessary, as part of the HDW address standardization process. (3) The source for the Health Center Look-Alike "operating entity" information changed in November 2016 (the original source was discontinued July 2016 and the Look-Alike data remained frozen until the new "operating entity"

source came on-line).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: FQHC_ZIP_CD

Synonym Columns: None.

HDW Data Type: varchar(25)

User Friendly Names: Federally Qualified Health Center (FQHC) Look-Alike Organization ZIP

Code; ZÍP Code



Federally Qualified Health Center (FQHC) Look-Alike Organization Site Administrator Contact Name

Definition: This attribute represents the name of the organization level point of contact

for the Federally Qualified Health Center (FQHC) Look-Alike parent

organization.

Valid Values: Expected values are text strings containing the name of the person. For

example, Jane Q. Public; Mariel Hamm; or George Edward Pope. Can be

NULL.

HDW Transformation: (1) Concatenate First Name, Middle Name, and Last Name in accordance

with HRSA Data Warehouse name standardization process. (2) The source for the Health Center Look-Alike "operating entity" information changed in November 2016 (the original source was discontinued July 2016 and the Look-Alike data remained frozen until the new "operating entity" source

came on-line).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: FQHC_ADMIN_CONTACT_NM

Synonym Columns: None.

HDW Data Type: varchar(50)

User Friendly Names: Federally Qualified Health Center (FQHC) Look-Alike Organization Site

Administrator Contact Name; Contact Name



Federally Qualified Health Center (FQHC) Look-Alike Organization Site Administrator Contact Telephone Number

Definition: This attribute represents the telephone number for the point of contact for

the Federally Qualified Health Center (FQHC) Look-Alike parent

organization.

Valid Values: Expected values are telephone numbers with a the HRSA Data Warehouse

standard format of 999-999-9999, x9999 (the x9999 represents the telephone extension). For example, 703-555-1212; 808-555-1212 x189; or

202-555-1212. Can be NULL.

HDW Transformation: (1) When the Contact Address Type Code is 2, then set the Contact

Telephone Number to the value of the Contact Address. (2) The source for the Health Center Look-Alike "operating entity" information changed in November 2016 (the original source was discontinued July 2016 and the Look-Alike data remained frozen until the new "operating entity" source

came on-line).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: FQHC_ADMIN_CONTACT_PHONE_NUM

Synonym Columns: None.

HDW Data Type: varchar(25)

User Friendly Names: Federally Qualified Health Center (FQHC) Look-Alike Organization Site

Administrator Contact Telephone Number; Telephone



Federally Qualified Health Center (FQHC) Look-Alike Organization Site Administrator Contact Email Address

Definition: This attribute represents the email address of the organization level point of

contact for the Federally Qualified Health Center (FQHC) Look-Alike parent

organization.

Valid Values: Expected values are alphanumeric text strings made up of a local part, an @

symbol, followed by the a domain part, the format of email addresses is local-part@domain and the maximum of is 256 characters. For example,

niceandsimple@example.com. Can be NULL.

HDW Transformation: (1) When the Contact Address Type Code is 1, then set the Contact Email

Address to the value of the Contact Address. (2) The source for the Health Center Look-Alike "operating entity" information changed in November 2016 (the original source was discontinued July 2016 and the Look-Alike data remained frozen until the new "operating entity" source came on-line).

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: FQHC_ADMIN_CONTACT_EMAIL

Synonym Columns: None.

HDW Data Type: varchar(100)

User Friendly Names: Federally Qualified Health Center (FQHC) Look-Alike Organization Site

Administrator Contact Email Address; Email



BHCMIS Site Identification Number

Definition: This attribute represents the site source identification number from the

HRSA, Bureau of Primary Health Care (BPHC) Health Center Management

Information System (BHCMIS).

Valid Values: Expected values are six, seven, or eight character alphanumeric text strings.

For example, 028480; 028480; 039840; 069730; 088300; 108170; 0537670;

0818560; 01E01105; 09E01104; or 10E01053. Can be NULL.

HDW Transformation: NULL when the site is a federal look-alike, otherwise there is no

transformation performed.

Data Restriction: Public

Business Rule / Format: None.

Organization: HRSA, Bureau of Primary Health Care (BPHC)

Update Frequency: Daily

Column Name: BHCMISID

Synonym Columns: None.

HDW Data Type: nvarchar(50)

User Friendly Names: BHCMIS Site Identification Number

Update Date (Metadata): 08/26/2016